


B66_02_SV_14_SHERE_AND_ROUND

Company:	
User:	
Result file:	C:\...\CAMDAT\B66_02_SV_14_SHERE_AND_ROUND\B66_02_SV_14_SHERE_AND_ROUND172.rdf
Task file:	C:\CamsizerXT\CAMSYS\B66_02_SV_14_SHERE_AND_ROUND.afg
Time:	6/16/2015, 14:57, duration 5 min 20 s at 0.5 % covered area, image rate 1:1, with X-Fall, gap width = 7.0 mm
Particle model:	xc_min
No. of particles:	CCD-B = 1246602, CCD-Z = 35148
Velocity adaption:	no
Fitting:	no
Material:	

ASTM(+)	No(-)	retained [%]	passing [%]	SPHT3	Symm3	b/l3	PDN
> #16		0.0	100.0				0
#20	#16	0.0	100.0				0
#30	#20	0.0	100.0				0
#40	#30	0.0	100.0	0.535	0.646	0.736	19
#50	#40	3.5	100.0	0.862	0.860	0.758	10849
#60	#50	40.7	96.5	0.916	0.902	0.763	215717
#70	#60	43.7	55.8	0.917	0.909	0.725	317086
#140	#70	12.1	12.1	0.880	0.904	0.628	123590
PAN	#140	0.0	0.0	0.881	0.894	0.719	5123130



Mean value SPHT3 = 0.903
Mean value Symm3 = 0.902
Mean value b/l3 = 0.716
Mean value RDNS_C3 = 0.639
Mean value SPHT_K3 = 0.626

User