


B66\_03\_SPHERE\_AND\_ROUND

Company:  
 User:  
 Result file: C:\CamsizerXT\CAMDAT\B66\_03\_SPHERE\_AND\_ROUND\B66\_03\_SPHERE\_AND\_ROUND045.rdf  
 Task file: C:\CamsizerXT\CAMSYS\B66\_03\_SPHERE\_AND\_ROUND.afg  
 Time: 6/17/2015 , 14:12 , duration 5 min 36 s at 0.5 % covered area, image rate 1:1 , with X-Fall, gap width = 7.0 mm

Particle model: xc\_min  
 No. of particles: CCD-B = 3266791 , CCD-Z = 133833  
 Velocity adaption: no  
 Fitting: no

Material:

ASTM(+)	No(-)	retained [%]	passing [%]	SPHT3	Symm3	b/l3	PDN
> #16		0.0	100.0				0
#20	#16	0.0	100.0				0
#30	#20	0.0	100.0				0
#40	#30	0.0	100.0	0.727	0.875	0.675	2
#50	#40	0.1	100.0	0.657	0.716	0.727	142
#60	#50	1.5	99.9	0.855	0.854	0.761	6863
#70	#60	12.2	98.4	0.898	0.886	0.758	83380
#140	#70	84.3	86.2	0.909	0.907	0.730	1672189
PAN	#140	1.9	1.9	0.891	0.934	0.670	23355279



Mean value SPHT3 = 0.899  
 Mean value Symm3 = 0.902  
 Mean value b/l3 = 0.716  
 Mean value RDNS\_C3 = 0.683  
 Mean value SPHT\_K3 = 0.627

User